UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/796,222	03/08/2004	Jiun-Ming Wang	084260-000000US	4630

			EXAMINER
20350	7590	09/29/2005	XU, KEVIN K

TOWNSEND AND TOWNSEND AND CREW, LLP
TWO EMBARCADERO CENTER
EIGHTH FLOOR
SAN FRANCISCO, CA 94111-3834

ART UNIT	PAPER NUMBER
2676	

DATE MAILED: 09/29/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/796,222	WANG ET AL.
Office Action Summary	Examiner	Art Unit	
	Kevin K. Xu	2676	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>19 September 2003</u>.

2a)☐ This action is **FINAL**. 2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>*1-17*</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>*1-17*</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on <u>19 September 2003</u> is/are: a)☐ accepted or b)☒ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date <u>9/19/2003</u>.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

Detailed Action

Drawings

The informal drawings are not of sufficient quality to permit examination.

The drawings have "blacked out" regions and thus indistinct areas as observed in

Figures 1a, 1b, 3a, 3b, 3c, 3d, 5, 6, 7, 8, 9, 17a, 17b and 17c.

Accordingly, replacement drawing sheets in compliance with 37 CFR 1.121(d)

are required in reply to this Office action. The replacement sheet(s) should be labeled

"Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct

any portion of the drawing figures. If the changes are not accepted by the examiner, the

applicant will be notified and informed of any required corrective action in the next Office

action.

Furthermore, it has been noted that the applicant checked off a petition pursuant

to 37 CFR 1.84(a)(2) to accept color drawings. However, this application does not

contain the actual petition pursuant document. Therefore applicant must resend the

petition.

Color photographs and color drawings are not accepted unless a petition filed

under 37 CFR 1.84(a)(2) is granted. Any such petition must be accompanied by the

appropriate fee set forth in 37 CFR 1.17(h), three sets of color drawings or color

photographs, as appropriate, and, unless already present, an amendment to include the

following language as the first paragraph of the brief description of the drawings section

of the specification:

> The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

Color photographs will be accepted if the conditions for accepting color drawings

and black and white photographs have been satisfied. See 37 CFR 1.84(b)(2).

Claim Objection

Applicant is advised that should claim 4 be found allowable, claim 7 will be

objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two

claims in an application are duplicates or else are so close in content that they both

cover the same thing, despite a slight difference in wording, it is proper after allowing

one claim to object to the other as being a substantial duplicate of the allowed claim.

See MPEP § 706.03(k). Therefore one of the claims must be amended or cancelled.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by

Matsumoto (6,356,272).

Matsumoto teaches the making of a colorful three dimensional model comprising

of inputting three-dimensional original measured data by explaining image data to be

obtained by shooting the object of interest (Fig. 3, item 100) from a plurality of

viewpoints with camera (Fig 3, item 120) carried by an operator moving around

stationary object (Fig. 3, item 100). By identifying the position of camera (Fig 3, item

120) and the shooting direction for each shot of an image three dimensional shape

model can be reconstructed (Fig 6D, item 300). This is a method of capturing image

data to be inputted for reconstruction. (Col 16, lines 49-62)

Matsumoto additionally teaches the making of a colorful three-dimensional model

comprising of reconstructing mesh models with regular data by presenting FIG. 3 as a

schematic block diagram showing a structure of a three-dimensional model generation

apparatus (Fig. 3) to reconstruct a three-dimensional model from an actual object

according to a first embodiment of the present invention. Referring to FIG. 3, an object

of interest 100 is mounted on a turntable 110. Turntable 110 has its angle of rotation

controlled according to, for example, a control signal from a computer 130. A camera

120 shoots the rotating object of interest 100 at every specified angle. The

obtained image data is applied to computer 130. Data of the shooting condition

such as the rotary pitch of turntable 110 and the like is applied to computer

130 from an input device 140. (Col. 15, lines 33-43)

Matsumoto also teaches making a colorful three-dimensional model comprising of abstracting color information by showing the case of picking up a total of n images by rotating an object of interest for every predetermined angle of rotation, as shown in FIG. 1. In this case, each image information corresponds to the label number of 1, 2, 3 . . . , n. The object of interest is represented as a shape model (wire frame model) 300 using a polygon (triangular patch). When texture information is to be assigned to shape model 300, color information (texture information) of the image information of a corresponding label number is assigned for each triangular patch according to the direction of the camera shooting the object of interest. (Col 2, lines 11-21)

Matsumoto further teaches making a colorful three-dimensional model · comprising of harmonizing color of texture images by showing the applying of color information (texture information) obtained from reference image information that has the greatest amount of texture information is assigned to each three-dimensional shape constituent element (polygon 27, figure 6D) forming shape model 300. (figure, 6D) (Col 19, line 21 – Col 22, line 5)

Matsumoto further teaches making a colorful three-dimensional model comprising of pixel blending to overlapped texture images between the mesh models. As to a purpose for blending, Matsumoto teaches the central projection system is disadvantageous in that the joint of the texture is noticeable when the gloss or the texture of the color information is slightly different due to the illumination and the like since the texture information is assigned from different image information (image

information of a different label number) to a three-dimensional shape constituent

element that is not present within the same range of rotation angle when viewed from

the axis of rotation. (Col 2, line 44-52); said means for assigning texture information to

a three-dimensional shape constituent element by carrying out a **weighted mean**

process according to the area of a three-dimensional shape constituent element

projected on each object image information on the basis of object image information

corresponding to the related label number and the object image information

corresponding to a predetermined number of label numbers including that related label

number. (Col 7, lines 24-32); said according to a still further aspect of the present

invention, a texture information assignment apparatus for a shape model includes:

means for capturing a plurality of object images information by shooting an object of

interest from different viewpoints; means for describing the shape of the object of

interest as a shape model by a set of a plurality of three-dimensional shape constituent

elements; and means for assigning texture information obtained by carrying out a

weighted mean process for all the object image information according to the area

corresponding to the three-dimensional shape constituent element projected on the

plurality of object images information for every three-dimensional shape constituent

element. Preferably, the means for assigning texture information to the three-

dimensional shape constituent element obtains the area projected on the object image

information for each three-dimensional shape constituent element, and uses the

obtained area as the weighting factor in carrying out the **weighted mean process**. For

the texture information of the three-dimensional shape constituent element, the portion

of the three-dimensional shape constituent element projected on the object image

information is obtained. The image information (color, density or luminance) of this

projected portion is subjected to a weighted means process to result in the texture

information. (Col 8, lines 24- 46). Therefore claim 1 is anticipated by Matsumoto.

Matsumoto moreover teaches the method claimed in claim 2, wherein the mesh

model reconstructing step comprises of selecting a generic model according to

measured data by showing computer 130 (Fig. 4) extracts a silhouette image from the

image information corresponding to each shooting angle according to the image

information applied from camera 120 (Fig. 4) to generate a three-dimensional shape

model (Col 15, lines 45-48); said adjusting dimension and spatial position of the

generic model to overlap with the original measured data by showing according to yet

an additional aspect of the present invention, a three-dimensional model generation

apparatus of generating a three-dimensional model of an object of interest includes:

silhouette generation means for generating a plurality of silhouette images of the object

of interest, estimation means for **estimating the existing region of the object of**

interest in a space according to the plurality of silhouette images; and means for

generating a three-dimensional model of the object of interest **using the object of**

interest existing region obtained by the estimation means (Col 12, lines 41-50)

Further, the space defined by voxels (3-D space according to the absence/presence of

a three-D lattice point.) is referred to as voxel space 251. (Fig 7) **Voxel space 251 is**

arranged with a size and position that encloses the object to be recognized. Here,

this voxel space 251 is represented with the cylindrical coordinate system that can

represent the shape of a target object in a more natural manner with respect to the

pickup of an image while rotating object 100 (Fig 6A) of interest. (Col 17, lines 38-47)

; said mapping data of generic model with original measured data to deform the

generic model data to be close to the original measured data by showing at step S18

(Fig 5), the texture corresponding to each polygon 27 (Fig 11) generated at step S16

(Fig 5) is obtained from the object image to be mapped on each polygon 27. (Col 40,

lines 22-25). Therefore claim 2 is anticipated by Matsumoto.

Matsumoto in addition teaches the method as claimed in claim 3, wherein the

color abstracting step is to establish texture-mapping relationship between two

dimensional image of the original measure data and the generic model, which

comprises seeking mapping points of mesh points of the generic model on the original

measured data and triangles having the mapping points by showing at step S16

(texture mapping, Fig 5), a plurality of three-dimensional shape constituent elements

(for example, **a polygon such as a triangular patch**; for the sake of simplification, the

three-dimensional shape constituent element is represented as a polygon hereinafter)

27 (Fig. 11) on the basis of the three-dimensional shape of target object 100 obtained

at step S14. The three-dimensional shape of target object 100 obtained at step S14 is

represented by a plurality of polygons 27 (Col 40, lines 14-19); said calculating

corresponding texture coordinates of the mapping points by showing the amount of

texture information is determined according to the degree of match between the normal

vector of each three-dimensional shape constituent element (polygon 27) and the

normal vector of the image shooting plane parallel to the direction in which the

reference image was shot. More specifically, the reference image that is most

positively opposite the relevant polygon 27 is selected as the reference image having

the greatest texture information with respect to that polygon 27 (Col 20, lines 26-34) ;

said checking continuity of the triangles on the texture images by the weighted mean

process of texture information from a predetermined number of reference image

information, texture information for a corresponding polygon can be obtained.

Therefore, texture information improved in texture continuity can be assigned to the

relevant polygon. (Col 28 lines 49-55) Therefore claim 3 is anticipated by Matsumoto.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

Claims 4-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Matsumoto.

Matsumoto teaches all of the claimed limitations of claim 4 except for the

rearranging sequence of measured data according to the overlapped relationship.

However, Matsumoto teaches the joint of the texture is noticeable when the gloss or

the texture of the color information is slightly different due to the illumination and the

like since the texture information is assigned from different image information (image

information of a different label number) to a three-dimensional shape constituent

element that is not present within the same range of rotation angle when viewed from

the axis of rotation. (Col 2, lines 44-52). Therefore, it would have been obvious to one

of ordinary skill in the art at the time the present invention was made to employ the

teachings of Matsumoto which shows the joint of the texture is noticeable when texture

of color information is slightly different, and thus, implies calculating color adjustment

(Ai) of the texture image of each original measured data as a means for color

harmonizing of the colorful 3-D model. Also referring to claim 4, Matsumoto teaches

the image information (color, density or luminance) is subjected to a weighted mean

process to result in texture information. (Col 7, lines 45-47). Thus, it would have been

obvious to one of ordinary skill in the art at the time the present invention was made to

employ the teachings of Matsumoto to utilize a weighted mean process as a method of

adjusting color average of overlapped area. Lastly, again referring to claim 4,

Matsumoto teaches the representation of data consisting of n three dimensional mesh

models by teaching a three-dimensional shape model can be represented by a set of,

for example, polygons (triangular patches). The aforementioned image information

implies numeric information representing the luminance, color, or the gray level

corresponding to each pixel output from camera 120. However, representation of a

three-dimensional model is not limited to such a representation method. For example,

a three-dimensional model can be represented as a group of surface shape elements

of different shapes. Therefore, the shape that is the element for representing a shape

model is generically referred to as a three-dimensional shape constituent element.

(Col 15, lines 48-59). Although Matsumoto does not explicitly state the rearranging

sequence of measured data according to overlapped relationship and magnitude of

overlapping area, it would have been obvious to one of ordinary skill in the art at the

time the present invention was made to rearrange a sequence of data in a certain way

in order to fit the purpose of color harmonizing within overlapped area. Therefore claim

4 would have been obvious.

Claims 5-7 are similar in scope to claim 4 and thus are rejected under similar

rationale.

Consider claim 8, Matsumoto teaches the image information (color, density or

luminance) of this a projected portion is subjected to a weighted mean process to result

in the texture information. (Col 7, lines 45-47) Further, Matsumoto teaches the means

for assigning texture information to the three-dimensional shape constituent element

obtains the area projected on the object image information for each three-dimensional

shape constituent element, and uses the obtained area as the weighting factor in

carrying out the weighted mean process. For the texture information of the three-

dimensional shape constituent element, the portion of the three-dimensional shape

constituent element projected on the object image information is obtained. The image

information (color, density or luminance) of this projected portion is subjected to a

weighted means process to result in the texture information. (Col 8, lines 36-47).

Although an equation for color average, $A_i = (A_{i,1} * W_{i,1} + ...A_{i,Ai-1} * W_i, W_{i-1}) /(W_{i,1} + ...W_{i,i-1})$ is not explicitly defined by Matsumoto, it would have been obvious to one of ordinary

skill in the art at the time the present invention was made to utilize the calculation as

claimed in Matsumoto because if color information is obtained and subjected to a

weighted mean process (as taught by Matsumoto) then that same technique would be

a way of calculating color adjustment using mesh influenced weighted value in a

straightforward manner with minimum calculations and reduced processing time.

Claims 9-11 are similar in scope to claim 4 and thus are rejected under similar

rationale.

Claims 12-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Matsumoto (6,356,272) in view of Migdal et al (6,356,263 hereinafter "Migdal")

In regard to claim 12, Matsumoto teaches a means for assigning texture

information to a three-dimensional shape constituent element by carrying out a

weighted mean process according to the area of a three-dimensional shape constituent

element projected on each object image information on the basis of object image

information corresponding to the related label number and the object image information

corresponding to a predetermined number of label numbers including that related label

number. (Col 7, lines 24-32) Although Matsumoto does not explicitly suggest seeking

overlapped images covered by each triangle within overlapped areas for pixel blending,

it would have been obvious to one of ordinary skill in the art at the time the present

invention was made to utilize the texture processing of Matsumoto for the pixel

blending as claimed because texture processing requires seeking of overlapped

images covered by each triangle within overlapped areas.

Matsumoto further teaches the image information (color, density or luminance) of this a projected portion is subjected to a weighted mean process to result in the texture information. (Col 7, lines 45-47) Further, Matsumoto teaches the means for assigning texture information to the three-dimensional shape constituent element obtains the area projected on the object image information for each three-dimensional shape constituent element, and uses the obtained area as the weighting factor in carrying out the weighted mean process. For the texture information of the three-dimensional shape constituent element, the portion of the three-dimensional shape constituent element projected on the object image information is obtained. The image information (color, density or luminance) of this projected portion is subjected to a weighted means process to result in the texture information. (Col 8, lines 36-47) Although Matsumoto does not explicitly teach calculating pixel weight average to mapping area corresponding to each triangle, it would have been obvious to one of ordinary skill in the art at the time the present invention was made to utilize the method as claimed in Matsumoto because using an amount of image area obtained as a weighting factor in the averaging process would also be applied for calculating pixel weight average to mapping area.

Lastly Matsumoto fails to explicitly teach calculating distances of vertices of each of the triangles within the overlapped areas to nearest edges of corresponding mesh. However, this is what Migdal (6,356,263) teaches. Migdal teaches non-symmetric criteria included using a distance function that would calculate a distance from one of the vertices. (Col 7, lines 30-34). Furthermore, Migdal teaches a procedure that

determines whether the square of the distance between the vertices' coordinates of the edge to be subdivided is greater than a threshold value. (Col 7, lines 55-58). It would have been obvious to one of ordinary skill in the art at the time the present invention was made to combine the teachings of distance calculation between a vertex and an edge of a triangle taught by Migdal into a pixel blending technique using weighted average taught by Matsumoto because the use of the distance function taught by Migdal provides computational and processing efficiencies such as saving of memory space and processor resources. (Col 8, lines 8-10) and by calculating these distances a more accurate 3-D model would be realized.

Claims 13-17 are similar in scope to claim 4 and thus are rejected based on Matsumoto as explained in the previous rejection under 35 U.S.C. 103(a)

Conclusion

Any inquiry concerning this communication or earlier communications from examiner should be directed to Kevin K Xu whose telephone number is 571-272-7747. The examiner can normally be reached on Monday-Friday from 8:30 AM – 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella can be reached on (571) 272-7778.

Information regarding the status of an application may be obtained from Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EB) at 866-217-9197 (toll-free).

K. X.

MATTHEW C. BELLA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Kevin Xu

9/27/05